

# Index

- absolute potential 68
- a.c. (alternating current)
  - circuits 76–77
  - CRO 160–161
  - generator 147–148
  - transformer 149, 150
- acceleration
  - angular 27–28, 34
  - centripetal 26–27
  - linear and angular equations 28
  - under gravity 4, 5
  - uniform acceleration equations 5, 13
- acceptor 167
- accommodation 228
- air-cored inductor 146
- alkaline cell 88
- alternating current
  - see a.c. (alternating current)
- ammeter 93, 98, 99, 142
- ammonium chloride 87, 88
- amperes 81, 89, 136
- amplifier 179–180, 181–183
- amplitude 197
- AND gate 185, 187, 188, 189, 190, 191
- angle
  - critical 218
  - deflection 122, 124
  - projectile 8, 13–17
- angle of depression 13
- angle of elevation 13
- angle of incidence 200–201, 215–216, 217, 218
- angle of reflection 200–201
- angular acceleration 27–28, 34
- angular displacement 24, 25
- angular momentum 34–35
- angular velocity 25–26, 27–28, 32
- anode 157, 158
- apparent depth 216–217
- Archimedes 38
- astigmatism 230
- atoms 50–51, 83
- ball
  - dropping a 4, 5–6
  - horizontal projection 9–10, 11, 12
  - kicking 13
  - rolling down a track 11, 12
  - throwing a 7, 8, 17
- bar magnet
  - domains 121–122
  - force between 120
  - induced e.m.f. 144–145
  - magnetic field 126–127
  - magnetisation 123
  - shielding 124
- base 177, 178, 179
- base current 180, 182
- battery 72, 86, 87, 93, 94, 98
- biasing 169, 178
- bipolar junction transistor 171–172, 177
- bridge rectifier 175
- burglar alarm 184, 189
- camera 76, 223, 226
- capacitance 71, 75
- capacitors 71, 72, 98, 174–175
  - charge and discharge on 72–73
  - in daily life 76–77
  - electric potential energy stored in 75–76
  - parallel plate 75
  - in series, parallel and series-parallel 74
- carbon plate 86, 87, 88
- cars 21–22, 116, 206
- cathode 157, 158
- cathode ray oscilloscope (CRO) 156, 158–162
- cathode rays 157–158
- cells 98
  - dry cell 86–88
  - e.m.f. 108, 109
  - internal resistance 108–109
  - primary and secondary 88
  - in series and in parallel 110
- centre of gravity 37
- centre of mass 18–19, 37, 38
- centripetal acceleration 26–27
- centripetal force 20, 21–22, 133–134
- charge 50–51, 81
  - by conduction 52
  - by induction 53
  - Coulomb's law with three plus charges 65–66
  - and discharge on a capacitor 72–73
  - distribution on conductor surfaces 54
  - flowing round a circuit 83–84
  - force between charges 63–65
  - in a metallic conductor 85
  - see also electrostatics; negative charge; positive charge
- chimney filters 56
- circuit symbols 72, 98, 99
- circular motion 21, 24–25, 40, 43
- collector 177, 178, 179
- collector current 180
- comets 44
- commutator 138
- compass 121, 124, 126
- concave lens 219–223, 229
- concave mirrors 203–204, 205, 206–207, 209
- conduction 52, 167, 170
- conduction electrons 83, 156
- conductivity 84, 97–98
- conductors 54, 55, 83, 86, 97, 164
  - charge in 85
  - electric field around 61–62
  - magnetic force on 135, 145
  - resistance and 95–96, 97
- conservation of angular momentum 34–35
- conservation of charge 51
- conservation of energy 43, 144
- convection currents 54–55
- convex lens 219–223, 229
- convex mirrors 204–205, 206, 208, 209
- cooling, and magnetisation 123
- copper 83, 84, 86, 97
- coulomb 62, 81
- Coulomb's law 64, 65–66
- critical angle 218
- CRO (cathode ray oscilloscope) 156, 158–162
- current see a.c.; d.c.; electric current
- current-carrying conductor, magnetic force on 135, 136
- current-carrying wire
  - force on a rectangular 136–137
  - magnetic fields 127–129
- current-resistance graph 95–96
- current-voltage graph 95, 169
- d.c. (direct current) 76, 159
  - using a diode 173–174
- degree 24–25
- demagnetisation 122
- depletion zone 168
- diameter, and resistance 96
- dielectric materials 73, 75
- diffraction 230–231
- diffraction grating 231
- digital camera 226
- diode 135, 156–157, 170
  - current-voltage characteristics 169
  - light emitting 171
  - P-N junction 168–169, 173–175
  - photodiode 172
- dioptries 220
- direct charging 56
- direct current see d.c.
- discharge 57, 72–73

- dispersion, white light 231, 232  
displacement 24–25  
    horizontal 4, 12, 14  
displacement-time graph 5  
domains 121–122, 123–124  
donor 167  
doping 166–167  
drift speed 84, 85  
dry cell 86–88  
dynamo effect *see* electromagnetic induction
- Earth  
    angular and tangential velocity 26  
    atmosphere 213–214  
    gravitational force 41–42  
    magnetic field 121, 129
- Earth Circuit Leakage Breakers (ECLBs) 116
- earthed 116
- eddy currents 149–150, 151
- electric charge *see* charge; electrostatics
- electric circuit  
    ammeter position in 99  
    charge flowing around 83–84  
    constructing and drawing 98–99  
    e.m.f., current and internal resistance 109  
    resistance 92–93  
    resistor combinations in 101–105  
    voltmeter position in 99–100
- electric current 81–82, 109  
    conventional current 83  
    direction of flow 88, 98  
    eddy currents 149–150  
    electrons passing in 84–85  
    in a motor 138, 139  
    Ohm's law 94–95  
    *see also* charge
- electric field 60–62, 69, 196
- electric field strength 62–63
- electric force *see* electrostatic force
- electric motor 88, 112, 137–138, 152
- electric potential 68–69  
    stored in a capacitor 75–76  
    *see also* potential difference (p.d.)
- electrical energy 112–113  
    cost of 113–114  
    from chemicals 86–88  
    from heat 89–90  
    from light energy 172–173
- electricity *see* electrical energy
- electrochemical cells 86  
    *see also* cells
- electrodes 86, 157, 158
- electrolyte 86
- electrolytic capacitor 75, 175
- electromagnetic induction 142–145, 148
- electromagnetic spectrum 198
- electromagnetic waves 196–197, 198
- electromotive force (e.m.f.) *see* e.m.f.
- electron gun 157
- electronics 57, 75, 156
- electrons 83, 84–85  
    conduction electrons 83, 156  
    in semiconductors 164
- electroscope 52, 53
- electrostatic force 62–66
- electrostatics 50  
    applications 56–57  
    attraction 51–52  
    problems caused by 57–58  
    *see also* charge
- e.m.f. 86, 92  
    cell 108, 109  
    in a circuit 109  
    *see also* induced e.m.f.
- emitter 177, 178, 179, 183
- equilibrium 36  
    stable, unstable and neutral 37
- equipotential lines 68–69
- equipotential surfaces 68–69
- escape velocity 45
- exponential decay 73
- extrinsic semiconductor 167
- eye 226–228
- eye lens 225
- eyepiece lens 224
- Faraday's law 142–143, 196–197
- fibre optics 218–219
- Fleming's left-hand rule 133, 135, 137, 138
- flight time 9–10, 12, 14, 15–16
- fluorescent tube 54, 55
- flywheel 31–32
- focal length 204, 207, 220
- focal plane 220, 225
- focus 204, 222  
    eye 227–228
- force  
    current-carrying wire 129  
    and equilibrium 36  
    *see also* centripetal force; electrostatic force; gravitational force; magnetic force
- forward biased 169, 178
- frequency 160–161, 197
- Fresnel lens 232
- friction 21–22
- full wave rectification 175
- fuse 115, 116
- gain control 159
- galvanometer 139
- galvanoscope 82, 84
- generator 147–148
- geostationary satellite 43–44
- germanium 98, 164
- gravitational constant 41
- gravitational force 4, 5, 41–42
- half-wave rectification 174
- Halley's comet 44
- heat  
    electric energy from 89–90  
    and magnetisation 123  
    and resistance 95–96  
    and transformers 151
- hole 164, 167, 168, 169
- horizontal displacement 4, 12, 14
- horizontal motion 4
- horizontal projection 9–12
- horizontal velocity 7–9, 14
- horseshoe magnet 126, 139
- household appliances 81, 113–114
- hydroelectric power 115
- ideal transformer equation 151–152
- image 201, 202–203  
    from lenses 221–223  
    from mirrors 208  
    magnification 204  
    real and virtual 205–206, 223
- incident ray 200, 201
- induced e.m.f. 143, 144–145, 146, 147, 148
- inductance 146–147
- induction 53, 142  
    *see also* electromagnetic induction
- inductors 145–146
- infrared radiation 196
- insulators 71, 73, 75, 83, 163  
    resistivity 97
- integrated circuits 191
- intermediate image 224, 226
- internal resistance 108–109
- intrinsic conduction 164
- intrinsic semiconductors 164–165
- inverse square relationship 64
- ion 83
- iron 90, 97, 122, 127  
    in an inductor 145–146  
    in a transformer 149–150
- Kepler's laws 42–43
- kilowatt hour 113
- kinetic energy 31–33, 35
- Kirchoff's law 178
- lateral displacement 215–216
- lattice structure 168
- law of conservation of angular momentum 34–35
- law of conservation of charge 51
- laws of electromagnetic induction 142–145
- laws of reflection 200–201, 202–203

- LDR (light-dependent resistor) 170, 184
- LED (light emitting diode) 171, 184
- lens  
 eye 226, 227–229  
 power 220  
 thin lens combinations 224  
 thin lens formula 221  
*see also* concave lens; convex lens
- Lenz's law 144–145
- light  
 diffraction of 230–231  
 reflection of 199–209  
 refraction of 212–232
- light emitting diode (LED) 171, 184
- light energy, to electrical energy 172–173
- light-dependent resistor (LDR) 170, 184
- lightning 55–56
- logic gates 184–191
- long sight (hypermetropia) 229
- magnet *see* bar magnet; horseshoe magnet
- magnetic domains *see* domains
- magnetic field 126–127, 196  
 and centripetal force 133–134  
 Earth's 121, 129  
 of a solenoid 129–130
- magnetic field lines 127–128
- magnetic field strength 129, 130, 134, 142
- magnetic flux 126, 135, 142
- magnetic flux density 127, 142
- magnetic force 120, 129, 133  
 on current-carrying conductors 135, 136  
 motor effect 134–135  
 rectangular current-carrying wire 136–137
- magnetic shielding 124–125
- magnetisation 122–123
- magnetism 120–125
- magnification 204, 205, 209, 220, 221
- magnifying glass 225
- majority carriers 167
- manganese dioxide 87
- mass  
 centre of 18–19, 37, 38  
 and gravitational force 41
- maximum height 13–14
- mechanical waves 196
- microphone 179–180
- microscope 225
- microwaves 198
- mind maps 58
- miniature circuit breakers (MCBs) 116
- minority carriers 167
- mirror *see* concave mirrors; convex mirrors; plane mirror
- mirror equation 207–208
- moment of inertia 31–32, 34, 35
- motor effect 89, 134–135
- multimeter 173
- mutual inductance 147
- N-P-N transistor 177, 178, 179
- n-type semiconductor 167, 168
- NAND gate 186–187, 191
- near point 228
- negative charge 51, 53, 61, 62, 63
- negative feedback 183
- neutral equilibrium 37
- Newton's law of universal gravitation 40–41, 43, 64
- Newton's second law of motion 20, 27, 34, 42
- NOR gate 186–187
- normal 200, 202, 213
- NOT gate 186, 190, 191
- nucleus 83
- objective lens 224, 225
- Ohm's law 94–95
- old sight (presbyopia) 229
- optic nerve 226
- optical fibres 218–219
- OR gate 185–186, 187, 188, 189, 191
- orbital period 27
- P-N junction diode 168–169, 173–175
- P-N-P transistor 177, 178
- p-type semiconductor 167, 168
- paint sprays 56
- parabola 6–7, 8
- parallel cells 110
- parallel circuit 101, 103–105
- parallel plate capacitor 75
- p.d. *see* potential difference (p.d.)
- periscope 201
- permeability of free space 130
- permittivity 73
- photocopiers 57
- photodiode 172
- photovoltaic cell 172–173, 184
- plane mirror 201, 202–203, 206
- planetary motion 27, 42–43
- plant watering system 191
- polarisation 87
- positive charge 51, 53, 55, 61, 62, 63
- post-atomisation charging 56
- potential difference (p.d.) 68, 94, 99  
 across a capacitor 71, 72–73  
 and collector current 180  
 current-resistance graph 95–96  
 current-voltage graph 95, 169  
 terminal 109  
 voltage drop 94, 95, 99, 104–105
- potential divider 180
- potential energy 69
- power 112–113
- primary cells 88
- principal axis 205, 207, 220, 222
- principal focus 204, 205, 207, 220
- projectile 3  
*see also* ball
- projectile motion 2–22
- projectile range 12, 14–15, 16–17
- public address system 77
- pupil 227
- radian 25
- radiowaves 198, 219
- radius of curvature 205
- range equation 15, 16–17
- ray diagram 222, 223
- ray tracing method 202–203, 208
- rays 197
- real depth 216–217
- real images 205–206
- rectification 157, 173–175
- rectilinear propagation of light 200
- reflected ray 201
- reflection  
 concave mirrors 203–204, 205  
 convex mirrors 204–205  
 laws of 200–201, 202–203  
 real and virtual images 205–206  
 regular and diffuse 201  
 total internal 217–219
- refraction 212–232  
 apparent depth 216–217  
 consequences of 213–214  
 lateral displacement 215–216  
 total internal reflection 217–219  
*see also* lens
- refractive index 214–215, 217, 218
- relay 181, 190
- residual current circuit breakers 116
- resistance 92–94, 97  
 conductors 95–96  
 internal 108–109  
 parallel circuit 103–105  
 semiconductors 165  
 series circuit 102–103  
 and transformer heat 151
- resistivity 97–98
- resistors 72, 73  
 in an amplifier 181–182, 183  
 combinations of 101–105  
 light-dependent 170  
 power of 112, 113  
 variable 93, 171
- resolving 4
- retina 226, 227
- reverse biased 169, 178
- revolution 24, 25
- rheostat 93, 171

- right-hand rule 128, 130
- rotational dynamics 30–39
- rotational inertia 32
- rotational kinetic energy 32–33, 35
- rotational motion 24
- rubbing, charging by 51–52, 53
  
- safety, electrical 115–116
- satellites 43–45
- secondary cells 88
- security locks 190
- Seebeck effect 89
- self-inductance 146–147
- semiconductors 98, 164, 170–173
  - charge carriers and resistance in 165
  - doping 166–167
  - intrinsic 164–165
  - see also* diode; transistors
- series cells 110
- series circuit 92, 99, 101, 102–103
- short sight (myopia) 228–229
- silicon 164, 167, 168
- sine wave 160
- Snell's law 214–215
- solenoid 129, 144–145
  - magnetic field 129–130
  - in a transformer 149
- spectrum 232
- speed 197, 232
  - drift speed 84, 85
- stable equilibrium 37
- steel 121, 122, 123
- step-down transformer 150–151
- step-up transformer 150–151
- switch 181, 183–184
  
- tangential acceleration 27
- tangential velocity 26, 27
- telecommunications 198, 219
- telescope 225–226
- temperature, measurement 90
- temperature coefficient of resistance 96
- thermionic emission 156
- thermistor 170, 184
- thermocouple thermometer 89–90
- thermoelectricity 89–90
- thermostat 189
- thunderstorms 54–56
- time base 160, 161
- time constant, circuit 73
- torque 33–34, 38, 136–137
- total internal reflection 217–219
- transformers 149–152
- transistors 179–184
  - biasing 178
  - bipolar junction 171–172, 177
- transverse waves 196, 197
- tribo charging 56
- truth table 185, 186, 187, 188, 189
- TV picture tube 162
- two-slit diffraction 231
  
- uniform acceleration equations 5, 13
- uniform circular motion 19–20, 21
  - see also* circular motion
- unstable equilibrium 37
- vacuum tubes 156–158
- Van de Graff generator 54, 71
- variable resistor 93, 171
- velocity
  - angular 25–26, 27–28, 32
  - escape velocity 45
  - horizontal and vertical 7–9, 14
  - orbital, of satellites 44–45
  - resolving 4
  - in uniform circular motion 19
- velocity-time graph 5
- vertical motion 5–6
- vertical velocity 7–9
- virtual images 205–206, 225
- volt 68, 86
- voltage *see* potential difference (p.d.)
- voltage-operated switch 183–184
- voltmeter 93, 99–100, 159
  
- wavelength 197, 232
- waves 196, 215, 230
- white light, dispersion 231, 232
- work done, by torque 34
  
- X-ray tube 158
- X-rays 198
  
- zinc 86, 87, 88

